

# **Annual Notification of AHERA Activities**

---

## **Little Egg Harbor Township Board of Education**

**Date:** July 1, 2011  
**To:** All School District Employees, Parents, Students  
**From:** Frank Kasyan, ED.d., Superintendent of Schools  
AHERA Program Manager  
**Subject:** Annual Notification of AHERA Activities

The following activities took place between July 1, 2010 and June 30, 2011 fulfilling the Little Egg Harbor Township Board of Education's requirements under *40 CFR 763 (AHERA)*.

### **George J. Mitchell Elementary School**

- 1. One Six-Month Periodic Surveillance walkthrough was conducted in October 2010.  
No changes in the condition of asbestos containing materials were noted.**
- 2. One Six-Month Periodic Surveillance walkthrough was conducted in April 2011.  
No changes in the condition of asbestos containing materials were noted.**
- 3. No asbestos removal was performed during the above period**
- 5. No major or minor fiber release episodes were recorded during the above period.**

### **Frog Pond Elementary School** (Formerly Little Egg Harbor Intermediate School)

*There are no assumed or confirmed asbestos containing building materials found in the Frog Pond School.*

Should you have any questions regarding the information included in this notification, or wish to review the District's asbestos management documentation, please contact Dr. Frank Kasyan at 296-1719.